

داروهای پرمصرف در اکوادور طبق اعلام سازمان صلیب سرخ اکوادور

داروهای پرمصرف در اکوادور طبق اعلام صلیب سرخ اکوادور			
نام تجاری	شکل دارویی	ماده فعال	غلظت
Acrovastin	قرص	Atorvastatin	40 mg
Apronax	قرص	Naproxen Sodium	275, 550 mg
Arcoxia	قرص روکشدار	Etoricoxib	30, 60, 90, 120 mg
Avastin	کونسائتره برای محلول	Bevacizumab	25mg/ml
Fluimucil	کونسائتره برای محلول/قرص	Acetylcysteine	100 y 200 mg /600mg
Lipitor	قرص روکشدار	Atorvastatin	10, 20, 40, 80 mg
Mabthera	محلول	Rituximab	100 mg/10 ml. y 500 mg/50 ml
Mesulid	قرص	Nimesulide	100mg
Vitamina C	آمپول / قرص جوشان /قرص جویدنی	Ascorbico Acid	1000mg/5 ml / 1 gramo
Asepsia	کپسول	Humulus Lupulus 50 mg /Echinacea angustifolia 25 mg/DL - Alfatocoferol 20mg/Arctium Lappa 50 mg	کپسول
Aspirina	قرص	Acetylsalicylic Acid	75, 100 y 500 mg
Cebion	قرص جوشان/قرص جویدنی	Ascorbic Acid	500mg / 1 Gramo
Goval	قطره	Risperidone	20 mg
Kuffer-Q	کپسول	Silymarin 250 mg; Coenzyme Q 10 30 mg y Resveratrol 100mg	کپسول
Mesigyna	آمپول	Estradiol. Norethisterone	Norethisterone enanthate 50,00 mg. Valerato de estradiol 5,00 mg.
Nestogeno	فرمول اطفال 400 mg y 800 mg		
Neurobion	آمپول	Vitamin B1 + Vitamin B6 + Vitamin B12	100 mg/5 mg/50 mcg
Omezzol	قرص	Omeprazole	10, 20, 40 mg
Pharmaton	کپسول	. Vitamins, minerals, standardized extract of Ginseng G115® and deanol (dimethyl amino-ethanol).	Formula: each Contiens capsule: 2- dimethylaminoethanol (deanol) bitartrate 26 mg, standardized extract of Ginseng G115® 40 mg (equivalent to 4% of ginsenosides obtained from roots of Panax ginseng CA Meyer), retinol (vitamin A palmitate) 4000 IU, thiamine mononitrate (vitamin B1) 2 mg, riboflavin (vitamin B2) 2 mg, pyridoxine hydrochloride (vitamin B6) 1 mg, cyanocobalamin (vitamin B12) 1 mcg, ascorbic acid (vitamin C) 60 mg, ergocalciferol D2) 400 IU, DL-α-tocopherol acetate (vitamin E)

10 mg, nicotinamide (vitamin PP) 15 mg, calcium pantothenate 10 mg, routine 20 mg, dry ferrous sulfate 33 mg (equivalent to 10 mg iron), dibasic calcium phosphate anhydrous 307.5 mg (equivalent to 90.3 Mg of calcium and 70 mg of phosphorus), calcium fluoride 0.42 mg (equivalent to 0.2 mg of fluorine), dry copper sulphate 2.8 mg (equivalent to 1 mg of copper), sulfate of Potassium 18 mg (equivalent to 8 mg of potassium), manganese (II) sulfate monohydrate 3.1 mg (equivalent to 1 mg of manganese), magnesium sulfate Dry 71 mg (equivalent to 10 mg of magnesium), zinc oxide 25 mg (equivalent to 1 mg zinc), total lecithin 66 mg (50 mg lecithin and 16 mg soy lecithin). Excipient cbp 1 capsule.			
44 mcg/0,5 ml	Interferon beta 1a	محلول تزریقی	Rebif
1 gramo	Acid Ascorbic	قرص جوشان	Redoxon
A11EX P1 - B vitamins + Panax ginseng exto. A11EX P2 - Vitamins of the B + vitamin A complex A11EX P5 - Vitamins of complex B + vitamin C + others A11EX P6 - Vitamins of complex B + folic acid A11EX P7 - Complex vitamins B + dexamethasone A11EX P8 - Vitamins A11EX P4 - Vitamins of complex B + diclofenac A11EX P5 - B + Vitamin C complex A11EX P9 - Vitamins complex B + Ciproheptadine	Vitamin complex, B + combinations		Simepar
500mg	Acetaminophen	قرص	Tempra
375mg	Sultamicillin	قرص	Unasyn
450 mg	Valganciclovir.	قرص 450 میلی گرمی در بسته های 60 تایی.. پودر جهت ساخت محلول 50 میلی گرمی. ظرف 12 میلی گرمی , پودر برای محلول	Valixa
50 mg	Diclofenac Sodium	قرص: 410 میلی گرمی موضعی نیز وجود دارد. که هر 100 میلی گرم آن حاوی: Diclofenac Diethylammonium 0.954 g (1.16% w / w) [equivalent to Diclofenac Potassium 0.864 g (1% w / w) / 75mg / 3ml solution for injection	Voltaren
200, 400, 600 mg	Ibuprofen	کپسول و قرص	
Syrup 200 mg / 5 ml; Envelopes 150-200 - 250-500-1000 , Tablets 500 mg250mgکپسول;	Azithromycin		
200mg, 250mg, 500mg y 750 mg	Ciprofloxacin	قرص, محلول 500mg	
5mg y 10 mg	Amlodipin	قرص	
12,5, 25, 50 y 100mg	Losartan	قرص	

Ezetimibe 10 mg, simvastatin 10 mg, 20 mg, 40 mg or 80 mg	Ezetimibe + Simvastatin	قرص	
Systemic antibacterial: 800mg sulfamethoxazole and 160mg trimethoprim / 12 hours; As antiprotozoan: 25mg of sulfamethoxazole and 5mg of trimethoprim / kg / 6 hours; Maximum dose: up to 3.2g of sulfamethoxazole and 640mg of trimethoprim / per day. Usual pediatric doses: as antibacterial: infants and children weighing less than 40kg 20mg sulfamethoxazole and 4mg trimethoprim / kg / 12 hours; Children with 40kg or more: adult dose; As antiprotozoan: infants and children under 32 kg: 25 mg of sulfamethoxazole and 5 mg of trimethoprim / kg / 6 hours; Children with 32kg or more: adult dose. Injectable form: as systemic antibacterial: IV infusion, 10mg to 12.5mg sulfamethoxazole and 2mg to 2.5mg trimethoprim / kg / 6 hours; 13.3mg to 16.7mg sulfamethoxazole and 2.7mg to 3.3mg trimethoprim / kg / 8 hours; Or 20mg to 25mg of sulfamethoxazole and 4mg to 5mg trimethoprim / kg / 12 hours; As antiprotozoan: 25mg of sulfamethoxazole and 5mg of trimethoprim / 6 hours.	Sulfamethoxazole + trimetopine		